

AL+PC A BULB



* Product features:


- Full series from 3W to 30W
- High-quality LEDs provided by Samsung/ Seoul Semiconductor/ Nichia/ Lumiled with excellent performance
- High luminous efficacy up to 120 lm/W
- Heat-conductive PBT over moulded aluminium housing with perfect heat dissipation
- PC cover with high lighting transmittance and desired lighting distribution
- CE, KC, UL certified
- Long lifespan: 20,000 hours, saving the maintenance cost

* Applications:


- Home, office, restaurant, hotel, supermarket, etc.






PRODUCT DETAILS



PRODUCT SPECIFICATIONS









| Model | Dimension ØxH (mm) | Power (W) | Voltage (V) | Power factor | Luminous flux (lm) | Luminous Efficacy (lm/W) | CCT (K) | CRI (Ra) | Beam angle (°) | Lifespan (hrs) | Market |
|--------------|--------------------|-----------|---------------------|--------------|--------------------|--------------------------|--------------------------|---------------|----------------|----------------|---|
| A 60/8W | 60x110 | 8 | 220÷240 | 0.5 | 720/760 | 90/95 | 3000/6500 | 80 | 180 | 15,000 |  |
| A 60/10W | 60x110 | 10 | 220÷240 | 0.5 | 900/950 | 90/95 | 3000/6500 | 80 | 180 | 15,000 |  |
| A 60/12W | 60x123 | 12 | 220÷240 | 0.5 | 1080/1140 | 90/95 | 3000/6500 | 80 | 180 | 15,000 |  |
| A60N3/7W.H | 60x108 | 7 | 220÷240 | 0.5/0.7/0.9 | 560/630 | 80/90 | 3000/4000/5000/5700/6500 | 80/90/Sunlike | 180 | 20,000 | |
| A60N1/9W.H | 60x108 | 9 | 120/220÷240/100÷277 | 0.5/0.7/0.9 | 720/810 | 80/90 | 3000/4000/5000/5700/6500 | 80/90/Sunlike | 180 | 20,000 | |
| A70N1/12W.H | 70x138 | 12 | 120/220÷240/100÷277 | 0.5/0.7/0.9 | 1020/1080 | 85/90 | 3000/4000/5000/5700/6500 | 80/90/Sunlike | 180 | 20,000 | |
| A80N1/15W.H | 80x155 | 15 | 120/220÷240/100÷277 | 0.5/0.7/0.9 | 1270/1350 | 85/90 | 3000/4000/5000/5700/6500 | 80/90/Sunlike | 180 | 20,000 | |
| A95N1/20W.H | 95x187 | 20 | 120/220÷240/100÷277 | 0.5/0.7/0.9 | 1800/1900 | 90/95 | 3000/4000/5000/5700/6500 | 80/90/Sunlike | 180 | 20,000 | |
| A120N1/30W.H | 120x220 | 30 | 120/220÷240/100÷277 | 0.5/0.7/0.9 | 2550/2850 | 85/90 | 3000/4000/5000/5700/6500 | 80/90/Sunlike | 180 | 20,000 | |

Capacity: 30.0 million pieces per year

Customizable: Power (3/5/7/8/9/10/12/15/20/30W), Voltage (120/220÷240/100÷277), PF (0.5/0.7/0.9), lm/W (up to 120), CCT (3000/4000/5000/5700/6500K), CRI (80/90/Sunlike), lifespan, etc.

LUMINOUS INTENSITY DISTRIBUTION

A60N3 / 7W.H

A60N1 / 9W.H

A70N1 / 12W.H

A80N1 / 15W.H

A95N1 / 20W.H

A120N1 / 30W.H


PACKING AND TRANSPORTATION



| Type of lamps | Quantity in master box (pcs) | Estimated quantity / 20'DC (pcs) | Estimated quantity / 40'HC (pcs) |
|---------------|------------------------------|----------------------------------|----------------------------------|
| A60_7/8/9/10W | 24 | 64 728 | 148 656 |
| A70_12W | 24 | 39 744 | 91 272 |
| A80_15W | 24 | 28 080 | 64 488 |
| A95_20W | 12 | 15 468 | 35 508 |
| A120_30W | 12 | 8 784 | 20 172 |

Customizable according to customer's request



Exported market: South Korea, EU, etc



RANG DONG LIGHT SOURCE AND VACUUM FLASK JOINT STOCK COMPANY

Add: 87- 89 Ha Dinh Street, Thanh Xuan, Hanoi, Vietnam

Tel: (84-24) 3 858 4310 / 3 858 4165

Fax: (84-24) 3 858 5038

Email: export@rangdong.com.vn



Specifications are subject to change without prior notice