

# AT06.V2 LED DOWNLIGHT



#### \* Product features:


- High-quality LEDs provided by Samsung/ Seoul Semiconductor/ Nichia/ Lumiled with excellent performance
- High luminous efficacy up to 100 lm/W
- High CRI of 80/90/ Sunlike for high color accuracy
- Heat-conductive PBT over molded aluminium housing with perfect heat dissipation
- PC cover with high lighting transmittance and desired lighting distribution
- CE, KC certified
- Long lifespan: 25,000 hours, saving the maintenance cost

#### \* Applications:


- Suitable for Home, office, restaurant, hotel, supermarket, commercial centers, showrooms, etc.



## PRODUCT DETAILS



## PRODUCT SPECIFICATIONS





Model	Dimension ØxH (mm)	Power (W)	Voltage (V)	Power factor	Luminous flux (lm)	Luminous Efficacy (lm/W)	CCT (K)	CRI (Ra)	Beam angle (°)	Cut out Øc (mm)	Life span (hrs)
AT06.V2 90/7W	114x44	7	120/220÷240/100÷277	0.5/0.9	700	100	3000/4000/5000/5700/6500	80	110	90	25,000
AT06.V2 90/9W	114x44	9	120/220÷240/100÷277	0.5/0.9	900	100	3000/4000/5000/5700/6500	80	110	90	25,000
AT06.V2 110/9W	134x44	9	120/220÷240/100÷277	0.5/0.9	900	100	3000/4000/5000/5700/6500	80	110	110	25,000

**Capacity: 11.2 million pieces per year**

**Customizable:** Power (7W/9W), Voltage (120/220÷240/100÷277), PF (05/09), lm/W, CCT (3000/4000/5000,5700,6500K), CRI (80/90/Sunlike), Driver (non isolation/isolation/Dim- Triac), lifespan, etc.

## LUMINOUS INTENSITY DISTRIBUTION



## PACKING AND TRANSPORTATION



Customizable according to customer's request

Type of lamps	Quantity in master box (pcs)	Estimated quantity / 20'DC (pcs)	Estimated quantity / 40'HC (pcs)
AT06.V2 90/7W/9W	24	40 920	93 984
AT06.V2 110/9W	12	29 280	67 224



Exported market: South Korea, EU, etc



**RANG DONG LIGHT SOURCE AND VACUUM FLASK JOINT STOCK COMPANY**

Add: 87- 89 Ha Dinh Street, Thanh Xuan, Hanoi, Vietnam

Tel: (84-24) 3 858 4310 / 3 858 4165

Fax: (84-24) 3 858 5038

Email: [export@rangdong.com.vn](mailto:export@rangdong.com.vn)



Specifications are subject to change without prior notice