

CP07 LED FLOOD LIGHT

* Product features:


- High-quality LEDs provided by Samsung/ Seoul Semiconductor/ Nichia/ Lumiled and driver provided by Inventronics, MOSO, SOSEN or designed by Rang Dong with excellent performance
- High efficacy up to 150 lm/W
- Modular design for easy maintenance
- PC optical lens with high lighting transmittance and desired lighting distribution
- Die-cast aluminum heatsink design with perfect heat dissipation
- IP66, IK08
- CE, KC certified
- Long lifespan: 50,000 hours, saving the maintenance cost
- Options:
 - + Voltage: 120/ 220÷240/ 100÷277V
 - + Driver: non isolation/ isolation
 - + Surge protection: 6 KV/ 10KV/ 20KV

* Applications:


- Outdoor garden, lawn, stadium, open playground, park, billboard, etc.



PRODUCT DETAILS



PRODUCT SPECIFICATIONS




Model	Dimension LxWxH (mm)	Power (W)	Voltage (V)	Power factor	Luminous flux (lm)	Luminous Efficacy (lm/W)	CCT (K)	CRI (Ra)	Beam angle (°)	Life span (hrs)
CP07 100W	347x152x75	100	120/220÷240/100÷277	0,95	13500	135	4000/5000	70	90	50,000
CP07 150W	347x232x75	150	120/220÷240/100÷277	0,95	20250	135	4000/5000	70	90	50,000
CP07 200W	347x313x75	200	120/220÷240/100÷277	0,95	27000	135	4000/5000	70	90	50,000
CP07 250W	347x394x75	250	120/220÷240/100÷277	0,95	33750	135	4000/5000	70	90	50,000
CP07 400W	651x358x139	400	120/220÷240/100÷277	0,95	54000	135	4000/5000	70	90	50,000

Capacity: 6.2 million pieces per year


Customizable: Power (100W/150W/200W/250W/400W), Voltage (120/220÷240/100÷277), PF, lm/W (up to 150), CCT (4000/5000K), Surge protection (6/10/20KV), Driver (non isolation/ isolation), lifespan, Beam angle (30/60/90 degree), etc.

LUMINOUS INTENSITY DISTRIBUTION


CP07 100W




CP07 150W



CP07 200W



CP07 250W



PACKING AND TRANSPORTATION



Type of lamps	Quantity in master box (pcs)	Estimated quantity/ 20'DC (pcs)	Estimated quantity/ 40'HC (pcs)
CP07 100W	1	2 553	5 863
CP07 150W	1	2 082	4 781
CP07 200W	1	1 678	3 853
CP07 250W	1	1 357	3 116
CP07 250W	1	1 491	3 425

Customizable according to customer's request



Exported market: South Korea, EU, etc



RANG DONG LIGHT SOURCE AND VACUUM FLASK JOINT STOCK COMPANY

Add: 87- 89 Ha Dinh Street, Thanh Xuan, Hanoi, Vietnam

Tel: (84-24) 3 858 4310 / 3 858 4165

Fax: (84-24) 3 858 5038

Email: export@rangdong.com.vn



Specifications are subject to change without prior notice