



* Product features:

- High-quality LEDs provided by Samsung/ Seoul Semiconductor/ Nichia/ Lumiled and driver provided by Inventronics, MOSO, SOSEN or designed by Rang Dong with excellent performance
- Attracting various types of fish
- No interference with maritime communication systems
- High efficacy more than 130 lm/W
- Tempered glass cover with high lighting transmittance and desired lighting distribution
- Anodizing or electrostatic powder coating aluminum and SUS304/SUS316 housing with fin design with perfect heat dissipation and anticorrosion
- IP66, IK08
- A perfect replacement for 1500-2000W metal halide lamps
- CE, KC certifed
- Long lifespan: 30,000 hours, saving the maintenance cost
- Options:
 - + Beam angle: 35°/ 90°/ 120°














PRODUCT DETAILS



PRODUCT SPECIFICATIONS



Model	Dimension LxWxH (mm)	Power (W)	Voltage (V)	Frequency (Hz)	Power factor	Luminous flux (lm)	Luminous Efficacy (Im/W)	CCT (K)	CRI (Ra)	Beam angle (°)	IP	Life span (hrs)
DC05-400W	380x220x185	400	100÷277	50/60	0.9	52000	130	3000/4000/5000	70	35/90/120	66	30,000
DC05-500W	450x220x145	500	100÷277	50/60	0.9	65000	130	3000/4000/5000	70	35/90/120	66	30,000

Capacity: 0.2 million pieces per year

Customizable: Power, Voltage (120/220÷240/100÷277V), PF, Im/W (more than 130), CCT (3000/4000/5000K) Beam angle (35/90/120 degree), lifespan, etc.





PACKING AND TRANSPORTATION



Type of lamps	Quantity in master box (pcs)	Estimated quantity/ 20'DC (pcs)	Estimated quantity/ 40'HC (pcs)	
DC05-400W	1	1 875	4 307	
DC05-500W	1	1 584	3 636	





Exported market: South Korea, EU, etc



RANG DONG LIGHT SOURCE AND VACUUM FLASK JOINT STOCK COMPANY

Add: 87-89 Ha Dinh Street, Thanh Xuan, Hanoi, Vietnam

Tel: (84-24) 3 858 4310 / 3 858 4165

Fax: (84-24) 3 858 5038

Email: export@rangdong.com.vn



