

* Product features:

- High-quality LEDs provided by Samsung/ Seoul Semiconductor/ Nichia/ Lumiled and driver provided by Inventronics, MOSO, SOSEN or designed by Rang Dong with excellent performance
- Attracting various types of fish
- No interference with maritime communication systems
- Modular design for easy maintenance
- PC optical lens with high lighting transmittance and desired lighting distribution
- Anodizing aluminum and SUS304/SUS316 housing with fin design with perfect heat dissipation and anticorrosion more than 10 years
- IP66, IK08
- A perfect replacement for 1000-2000W metal halide lamps
- CE, KC certifed
- Long lifespan: 30,000 hours, saving the maintenance cost
- Options:

Beam angle: 30°/90°










PRODUCT DETAILS



PRODUCT SPECIFICATIONS



Model	Dimension LxWxH (mm)	Power (W)	Voltage (V)	Frequency (Hz)	Power factor	Luminous flux (lm)	Luminous Efficacy (lm/W)	CCT (K)	CRI (Ra)	Beam angle (°)	IP	Life span (hrs)
DC06.V2 250W	430x281x115	250	170÷300	50/60	0,5	27500	110	4000	70	30/90	66	30,000
DC06.V2 500W	535x430x115	500	170÷300	50/60	0,5	55000	110	4000	70	30/90	66	30,000

Capacity: 0.3 million pieces per year

Customizable: Power, Voltage, PF (0,5/0,9), Im/W, CCT, Beam angle (30/90 degree), lifespan, etc.



PACKING AND TRANSPORTATION



Type of lamps	Quantity in master box (pcs)	Estimated quantity/ 20'DC (pcs)	Estimated quantity/ 40'HC (pcs)		
DC06.V2 250W	1	1 947	4 471		
DC06.V2 500W	1	980	2 249		





Exported market: South Korea, EU, etc



RANG DONG LIGHT SOURCE AND VACUUM FLASK JOINT STOCK COMPANY

Add: 87-89 Ha Dinh Street, Thanh Xuan, Hanoi, Vietnam

Tel: (84-24) 3 858 4310 / 3 858 4165

Fax: (84-24) 3 858 5038

Email: export@rangdong.com.vn



