

LED CEILING LIGHT



* Product features:

- High-quality LEDs provided by Samsung/ Seoul Semiconductor/ Nichia/ Lumiled with excellent performance
- LEDs with optical lens to ensure an evenly distributed beam of light
- Metal housing with perfect heat dissipation
- PMMA cover with high lighting transmittance and even lighting distribution
- Flicker-free
- CE, KC certified
- Long lifespan: 25,000 hours, saving the maintenance cost
- Options:



1-CCT




3-color changeable CCT (adjust by wall switch)

* Applications


- Home, office, corridor, aisle, supermarket, shopping mall, exhibition hall, etc.







PRODUCT DETAILS



PRODUCT SPECIFICATIONS




Model	Dimension ØxH (mm)	Power (W)	Voltage (V)	Power factor	Luminous flux (lm)	Luminous Efficacy (lm/W)	CCT (K)	CRI (Ra)	Beam angle (°)	Lifespan (hrs)	Market
CL 450/50W	450x100	50	120/220÷240/100÷277	0.9	4500	90	3000/5700/6500	80	120	25.000	
CL 550/60W	550x100	60	120/220÷240/100÷277	0.9	5400	90	3000/5700/6500	80	120	25.000	
CL 450/50W.CCT	450x100	50	120/220÷240/100÷277	0.9	4500	90	3000-4000-6500	80	120	25.000	
CL 550/60W.CCT	550x100	60	120/220÷240/100÷277	0.9	5400	90	3000-4000-6500	80	120	25.000	

Capacity: 3.2 million pieces per year


Customizable: Power (50/60W), Voltage (120/220÷240/100÷277), PF, lm/W, CCT (3000/5700/6500K), lifespan, etc.

LUMINOUS INTENSITY DISTRIBUTION

CL 450/50W



CL 550/60W



PACKING AND TRANSPORTATION



Type of lamps	Quantity in master box (pcs)	Estimated quantity/ 20'DC (pcs)	Estimated quantity/ 40'HC (pcs)
CL 450/50W.IR	5	1325	3045
CL 550/60W.IR	5	905	2080



Exported market: South Korea, EU, etc



RANG DONG LIGHT SOURCE AND VACUUM FLASK JOINT STOCK COMPANY

Add: 87- 89 Ha Dinh Street, Thanh Xuan, Hanoi, Vietnam

Tel: (84-24) 3 858 4310 / 3 858 4165

Fax: (84-24) 3 858 5038

Email: export@rangdong.com.vn



Specifications are subject to change without prior notice