

LN29N CEILING LIGHT



* Product features:


- High-quality LEDs provided by Samsung/ Seoul Semiconductor/ Nichia/ Lumiled with excellent performance
- LEDs with optical lens to ensure an evenly distributed beam of light
- PC housing and PC cover with high lighting transmittance and desired lighting distribution
- Flicker-free
- CE, KC certified
- Long lifespan: 25,000 hours, saving the maintenance cost
- Options:
 - + 1 CCT
 - + 3-color changeable CCT (adjust by wall switch)

* Applications:


- Home, office, corridor, aisle, supermarket, shopping mall, exhibition hall, etc.



PRODUCT DETAILS



PRODUCT SPECIFICATIONS




Model	Dimension LxWxH (mm)	Power (W)	Voltage (V)	Power factor	Luminous flux (lm)	Luminous Efficacy (lm/W)	CCT (K)	CRI (Ra)	Beam angle (°)	Life span (hrs)
LN29N 170/12W	160x43	12	120/220÷240/100÷277	0.5/0.9	810/900	68/75	3000/4000/6500	80	120	25,000
LN29N 170x170/12W	160x160x43	12	120/220÷240/100÷277	0.5/0.9	810/900	68/75	3000/4000/6500	80	120	25,000
LN29N 220/18W	220x43	18	120/220÷240/100÷277	0.5/0.9	1300/1450	72/80	3000/4000/6500	80	120	25,000
LN29N 220x220/18W	220x220x43	18	120/220÷240/100÷277	0.5/0.9	1300/1450	72/80	3000/4000/6500	80	120	25,000
LN29N 300/24W	300x43	24	120/220÷240/100÷277	0.5/0.9	1800/2000	75/83	3000/4000/6500	80	120	25,000
LN29N 300x300/24W	300x300x43	24	120/220÷240/100÷277	0.5/0.9	1800/2000	75/83	3000/4000/6500	80	120	25,000
LN29N DM 170/12W	160x43	12	120/220÷240/100÷277	0.5/0.9	810/900	68/75	3CCT 3000-4000-6500	80	120	25,000
LN29N DM 170x170/12W	160x160x43	12	120/220÷240/100÷277	0.5/0.9	810/900	68/75	3CCT 3000-4000-6500	80	120	25,000
LN29N DM 220/18W	220x43	18	120/220÷240/100÷277	0.5/0.9	1300/1450	72/80	3CCT 3000-4000-6500	80	120	25,000
LN29N DM 220x220/18W	220x220x43	18	120/220÷240/100÷277	0.5/0.9	1300/1450	72/80	3CCT 3000-4000-6500	80	120	25,000
LN29N DM 300/24W	300x43	24	120/220÷240/100÷277	0.5/0.9	1800/2000	75/83	3CCT 3000-4000-6500	80	120	25,000
LN29N DM 300x300/24W	300x300x43	24	120/220÷240/100÷277	0.5/0.9	1800/2000	75/83	3CCT 3000-4000-6500	80	120	25,000

Capacity: 3.2 million pieces per year


Customizable: Power (50/60W), Voltage (120/220÷240/100÷277), PF, lm/W, CCT (3000/4000/5000/6500K), lifespan, etc.

LUMINOUS INTENSITY DISTRIBUTION


LN29N 12W



LN29N 18W



LN29N 24W



PACKING AND TRANSPORTATION



Type of lamps	Quantity in master box (pcs)	Estimated quantity/ 20'DC (pcs)	Estimated quantity/ 40'HC (pcs)
LN29N 12W	8	19 032	43 712
LN29N 18W	8	10 952	25 152
LN29N 24W	6	6 546	15 030



Customizable according to customer's request



Exported market: South Korea, EU, etc



RANG DONG LIGHT SOURCE AND VACUUM FLASK JOINT STOCK COMPANY

Add: 87- 89 Ha Dinh Street, Thanh Xuan, Hanoi, Vietnam

Tel: (84-24) 3 858 4310 / 3 858 4165

Fax: (84-24) 3 858 5038

Email: export@rangdong.com.vn