

LN30N CEILING LIGHT



* Product features:

- High-quality LEDs provided by Samsung/ Seoul Semiconductor/ Nichia/ Lumiled with excellent performance
- LEDs with optical lens to ensure an evenly distributed beam of light
- PC housing and PC cover with high lighting transmittance and desired lighting distribution
- Flicker-free
- CE, KC certified
- Long lifespan: 25,000 hours, saving the maintenance cost
- Options:
 - + 1 CCT
 - + 3-color changeable CCT (adjust by wall switch)


* Applications:

- Home, office, corridor, aisle, supermarket, shopping mall, exhibition hall, etc.




 **IP54**

PRODUCT DETAILS



PRODUCT SPECIFICATIONS




Model	Dimension LxWxH (mm)	Power (W)	Voltage (V)	Power factor	Luminous flux (lm)	Luminous Efficacy (lm/W)	CCT (K)	CRI (Ra)	Beam angle (°)	Life span (hrs)
LN30N 220/ 18W	220x43	18	120/ 220÷240/ 100÷277	0,5/ 0,9	1300/ 1450	72/ 80	3000/ 4000/ 6500	80	120	25,000
LN30N 220x220/ 18W	220x220x43	18	120/ 220÷240/ 100÷277	0,5/ 0,9	1300/ 1450	72/ 80	3000/ 4000/ 6500	80	120	25,000
LN30N DM 220/ 18W	220x43	18	120/ 220÷240/ 100÷277	0,5/ 0,9	1300/ 1450	72/ 80	3CCT 3000-4000-6500	80	120	25,000
LN30N DM 220x220/ 18W	220x220x43	18	120/ 220÷240/ 100÷277	0,5/ 0,9	1300/ 1450	72/ 80	3CCT 3000-4000-6500	80	120	25,000

Capacity: 3.2 million pieces per year

Customizable: Power (50/60W), Voltage (120/220÷240/100÷277), PF, lm/W, CCT (3000/4000/5000/6500K), lifespan, etc.

LUMINOUS INTENSITY DISTRIBUTION



PACKING AND TRANSPORTATION



Type of lamps	Quantity in master box (pcs)	Estimated quantity / 20' DC (pcs)	Estimated quantity / 40' HC (pcs)
LN30N 18W	8	10 992	25 232



Customizable according to customer's request



Exported market: South Korea, EU, etc



RANG DONG LIGHT SOURCE AND VACUUM FLASK JOINT STOCK COMPANY

Add: 87- 89 Ha Dinh Street, Thanh Xuan, Hanoi, Vietnam

Tel: (84-24) 3 858 4310 / 3 858 4165

Fax: (84-24) 3 858 5038

Email: export@rangdong.com.vn



Specifications are subject to change without prior notice