



* Product features:

- High-quality LEDs provided by Samsung/ Seoul Semiconductor/ Nichia/ Lumiled with excellent performance
- High efficacy up to 110 lm/W
- Aluminum housing (anodizing or electrostatic powder coating) with perfect heat dissipation
- PC cover with high lighting transmittance and even lighting distribution
- CE, KC certified
- Long life span: 25,000 hours, saving the maintenance cost
- Options:





* Applications

· Apartment entrance, hallway lighting, indoor lighting, Parking lot, subway, commercial, industrial places, etc.













PRODUCT DETAILS



PRODUCT SPECIFICATIONS



Model	Dimension LxWxH (mm)	Power (W)	Voltage (V)	Power factor	Luminous flux (Im)	Luminous Efficacy (lm/W)	ССТ (К)	CRI (Ra)	Beam angle (°)	Life span (hrs)
M36 600/20W	600x60x32	20	120/220÷240/100÷277	0.5/0.9	2000/2200	100/110	3000/4000/5000/5700/6500K	80	120	30,000
M36 1200/40W	1200x60x32	40	120/220÷240/100÷277	0.5/0.9	4000/4400	100/110	3000/4000/5000/5700/6500K	80	120	30,000
M36.DM 1200/40W	1200x60x32	40	120/220÷240/100÷277	0.5/0.9	4000/4400	100/110	3000-4000-6500	80	120	30,000

Capacity: 6.2 million pieces per year

Customizable: Power (20/40W), Voltage (120/220÷240/100÷277), PF (0.5/0.9), Im/W (up to 110), CCT (3000/4000/5000/5700/6500K), life span, etc.



LUMINOUS INTENSITY DISTRIBUTION

M36 1200/40W M36 600/20W 1287.8 lux 649.5 lux 322.0 lux 162.4 lux 143.1 lux

PACKING AND TRANSPORTATION



Type of lamps	Quantity in master box (pcs)	Estimated quantity/ 20'DC (pcs)	Estimated quantity/40'HC (pcs)		
M36 600/20W	12	18 120	41 604		
M36 1200/40W	12	9 204	21 132		





Exported market: South Korea, EU, etc



RANG DONG LIGHT SOURCE AND VACUUM FLASK JOINT STOCK COMPANY

Add: 87-89 Ha Dinh Street, Thanh Xuan, Hanoi, Vietnam

Tel: (84-24) 3 858 4310 / 3 858 4165

Fax: (84-24) 3 858 5038

Email: export@rangdong.com.vn



