



M46 BATTEN LIGHT

* Product features:


- High-quality LEDs provided by Samsung/ Seoul Semiconductor/ Nichia/ Lumiled with excellent performance
- High efficacy up to 110 lm/W
- Aluminum heatsink (anodizing or electrostatic powder coating) with perfect heat dissipation
- PC housing with high lighting transmittance and desired lighting distribution
- One piece PC extrusion housing for slim design
- CE, KC certified
- Long lifespan: 25,000 hours, saving the maintenance cost

* Applications:


- Apartment entrance, hallway lighting, indoor lighting; Parking lot, subway, commercial, industrial places, etc.



PRODUCT DETAILS



PRODUCT SPECIFICATIONS




Model	Dimension LxWxH (mm)	Power (W)	Voltage (V)	Power factor	Luminous flux (lm)	Luminous Efficacy (lm/W)	CCT (K)	CRI (Ra)	Life span (hrs)
M46 600 / 25W	600x63x39	25	120 / 220÷240 / 100÷277	0.5 / 0.9	2750	110	3000/4000/5000/6500	80	25,000
M46 1200 / 50W	1200x63x39	50	120 / 220÷240 / 100÷277	0.5 / 0.9	5500	110	3000/4000/5000/6500	80	25,000

Capacity: 3.1 million pieces per year


Customizable: Power (25W/50W), Voltage (120/220÷240/100÷277), PF (05/09), lm/W, CCT (3000/4000/5000/5700/6500K), CRI, lifespan, etc.

LUMINOUS INTENSITY DISTRIBUTION

M46 600/25W



M46 1200/50W



PACKING AND TRANSPORTATION



Type of lamps	Quantity in master box (pcs)	Estimated quantity / 20'DC	Estimated quantity / 40'HC
M46 600/25W	12	13,188	30,276
M46 1200/50W	12	6,792	15,600

Customizable according to customer's request



Exported markets: EU, South Korea, etc.



RANG DONG LIGHT SOURCE AND VACUUM FLASK JOINT STOCK COMPANY

Add: 87- 89 Ha Dinh Street, Thanh Xuan, Hanoi, Vietnam

Tel: (84-24) 3 858 4310 / 3 858 4165

Fax: (84-24) 3 858 5038

Email: export@rangdong.com.vn



Specifications are subject to change without prior notice