

M66 LED BATTEN LIGHT



* Product features:


- High-quality LEDs provided by Samsung/ Seoul Semiconductor/ Nichia/ Lumiled with excellent performance
- High efficacy up to 130 lm/W
- Aluminum housing (anodizing or electrostatic powder coating) with perfect heat dissipation
- PC cover with high lighting transmittance and desired lighting distribution
- CE, KC certified
- Long lifespan: 30,000 hours, saving the maintenance cost

* Applications:


- Warehouses, factories, etc.



PRODUCT DETAILS



PRODUCT SPECIFICATIONS





Model	Dimension LxWxH (mm)	Power (W)	Voltage (V)	Power factor	Luminous flux (lm)	Luminous Efficacy (lm/W)	CCT (K)	CRI (Ra)	Beam angle (°)	Lifespan (hrs)
M66 1200/60W	1200x86x30	60	120/220÷240/100÷277	0.5/0.9	6000/6600	100/110	3000/4000/5000/5700/6500	80	120	30,000

Capacity: 6.2 million pieces per year

Customizable: Power, Voltage (120/220÷240/100÷277), PF (0.5/0.9), lm/W (up to 130), CCT (3000/4000/5000/5700/6500K), lifespan, etc.

LUMINOUS INTENSITY DISTRIBUTION



PACKING AND TRANSPORTATION



Type of lamps	Quantity in master box (pcs)	Estimated quantity/ 20'DC (pcs)	Estimated quantity/ 40'HC (pcs)
M66 1200/60W	12	6 816	15 660

Customizable according to customer's request



Exported market: South Korea, EU, etc



RANG DONG LIGHT SOURCE AND VACUUM FLASK JOINT STOCK COMPANY

Add: 87- 89 Ha Dinh Street, Thanh Xuan, Hanoi, Vietnam

Tel: (84-24) 3 858 4310 / 3 858 4165

Fax: (84-24) 3 858 5038

Email: export@rangdong.com.vn



Specifications are subject to change without prior notice