





REMOTE CONTROL ROUND CEILING LIGHT



* Product features:


- High-quality LEDs provided by Samsung / Seoul Semiconductor / Nichia / Lumiled with excellent performance
- LEDs with optical lens to ensure an evenly distributed beam of light
- Metal housing with perfect heat dissipation
- PMMA cover with high lighting transmittance and even lighting distribution
- Flicker-free; CE, KC certified
- Long lifespan: 25,000 hours, saving the maintenance cost
- Easily set and save user's ideal lighting ambience with a handy remote that provides full control of all lighting functions
-  Sleep mode: 2 brightness levels (5%, 10%), CCT 3000K
-  5 CCT: 3000K, 3500K, 4000K, 5000K, 6500K.
-  5 brightness levels: 10%, 25%, 50%, 75% and 100%
-  Sleep timer: 30 minutes off timer settings

* Applications:


- Home, office, corridor, aisle, supermarket, shopping mall, exhibition hall, etc.





PRODUCT DETAILS



PRODUCT SPECIFICATIONS





Model	Dimension ØxH (mm)	Power (W)	Voltage (V)	Power factor	Luminous flux (lm)	Luminous Efficacy (lm/W)	CCT (K)	CRI (Ra)	Beam angle (°)	Life span (hrs)	Market
CL 450/50W.IR	450x100	50	120/220÷240/100÷277	0.9	4500	90	3000-4000-6500	80	120	25,000	
CL 550/60W.IR	550x100	60	120/220÷240/100÷277	0.9	5400	90	3000-4000-6500	80	120	25,000	

Capacity: 3.2 million pieces per year

Customizable: Power (50/60W), Voltage (120/220÷240/100÷277), PF, lm/W, CCT (3000/4000/6500K), CRI, lifespan, etc.

LUMINOUS INTENSITY DISTRIBUTION



PACKING AND TRANSPORTATION



Type of lamps	Quantity in master box (pcs)	Estimated quantity / 20'DC (pcs)	Estimated quantity / 40'HC (pcs)
CL 450/50W	5	1325	3045
CL 550/60W	5	905	2080



Exported market: South Korea, EU, etc



RANG DONG LIGHT SOURCE AND VACUUM FLASK JOINT STOCK COMPANY

Add: 87- 89 Ha Dinh Street, Thanh Xuan, Hanoi, Vietnam

Tel: (84-24) 3 858 4310 / 3 858 4165

Fax: (84-24) 3 858 5038

Email: export@rangdong.com.vn



Specifications are subject to change without prior notice